特定研究集会 (課題番号 : 290-02)

集会名: 第四回 斜面テクトニクス会議

研究代表者: 千木良雅弘

開催日: 平成 29年 10月 14~18日

開催場所: 宇治おうばくプラザ、(五條市、十津川村、新宮市)

参加者数:91名(所外 80名、所内 11名)

・大学院生の参加状況: 15名(修士7名、博士 8名)(内数)

・大学院生の参加形態 [研究発表, 会場係, フィールドトリップ参加]

研究及び教育への波及効果について

斜面災害を引き起こす現象は大きな地域性があり、様々な国からの参加者相互の発表・討論は、大変有意義であった. 学生たちは、発表、会議場やフィールドトリップ等を通じて国際感覚を養うことができた.

研究集会報告

(1)目的

本会議は、地すべりや崩壊など、斜面で起こる変形・移動現象を様々な角度から検討することを目的に2008年に第1回が 開催され、以降、3年毎に開催されてきた。今まではヨーロッパで開催されてきたが、今回初めてアジア地域での開催となり、 アジア地域での事例研究も多く発表し、紀伊山地のフィールドトリップを行うことにより、国際的な研究交流を行うことを目 的とした。

(2)成果のまとめ

研究発表会は、10月14-15日の京都大学宇治キャンパスおうばくプラザにて実施され、78件の研究発表(口頭発表:42件;ポスター発表:36件)が行われた。発表会には14の国と地域から91人の参加者が集い、最新の研究成果に対し活発な議論が行われた。氷河の作り出したU字谷での斜面変形や河川の下刻によるV次谷での大規模崩壊など、多様な環境における種々の着眼での研究が発表されるとともに、測量や観測における技術的な進展についても多くの報告がなされた。講演・ポスター発表会場では、熱心な質疑応答が繰り広げられ、斜面にまつわる現象の研究コミュニティの活気と、今後の持続的発展を確信できる会合となった。なお、初日の夜の懇親会では、参加者同士さらに親睦を深め、旧知の仲間も新たな出会いを得た人々も、みな打ち解けて語り合い、ある人は日本酒に舌鼓をうち、ある人は和太鼓・三味線の演奏に聴きほれて、満足した様子であった。野外巡検は、10月16-18日の三日間をかけて、紀伊半島をバスで縦走する見学・観察会として実施された。この巡検には46人が参加した。西南日本外帯をつくる典型的な付加体の構造を観察するとともに、河川の下刻やダムの湛水に対する応答としての斜面の挙動や、2011年の台風によって発生したいわゆる深層崩壊のメカニズムについて意見交換し、また、花崗斑岩の風化形態を観察して、その生成過程について議論が交わされた。紀伊半島では航空レーザー測量に基づく細密地形データが充実していることもあり、地表に現れる微地形と地下構造およびその変形との関係、あるいは、そうした重力変形と深層崩壊との関連について熱い計論が交わされ、今後の研究課題を、現場で認識する良い機会となった。

(3) プログラム

詳細は後述する.

(4)研究成果の公表

研究発表アブストラクトは、ウェブサイトにて公表した。また、本会議を受けて学術誌 Engineering Geology から Special Issue を出版予定.

Program of the 4th Slope Tectonics Conference

Oral sessions at Kihada Hall

October 14, 2017 (Saturday)

15 min for each = $12 \min talk + 3 \min discussion$

| 9:30 | | Opening |
|----------------|---------------|---|
| 9:30~9:45 | | Welcome addressing (Prof. Nakagawa and Prof. Chigira) |
| Session 1 (9:4 | 15~11:00) | Chairs: Jaboyedoff Michel, Baron Ivo |
| Time | Presenter | Title |
| 9:45~10:00 | Corominas | Geological structure and relief as controls for the occurrence of |
| | Jordi | large slope failures in the Pyrenees |
| 10:00~10:15 | Kojima Satoru | Geomorphological and geological characteristics and |
| | | development history of deep-seated gravitational slope |
| | | deformation in the Kanmuriyama area, central Japan |
| 10:15~10:30 | Briestensky | Active tectonics affecting the development of deep seated |
| | Milos | gravitational slope deformations in the Western Carpathians |
| 10:30~10:45 | Hirata Yasuto | Rain-induced landslides of granite porphyry which was weathered |
| | | with many corestones in higher elevations |
| 10:45~11:00 | Matsushi Yuki | Multi-scale mass movements in a dip slope of accretionary |
| | | complex with contact metamorphism and extensive high-angle |
| | | faulting: a case in Hira Range, central Japan |
| | | Break (11:00~11:15) |
| Session 2 (11 | :15~12:30) | Chairs: Giovanni Crosta, Briestensky Milos |
| Time | Presenter | Title |
| 11:15~11:30 | Chigira | Deep-seated gravitational slope deformations that develop to |
| | Masahiro | catastrophic landslides |
| 11:30~11:45 | Yassaghi Ali | Allochthonous Collapse Structures in Zagros Fold Thrust Belt |
| 11:45~12:00 | Matsuoka | A multi-method approach to detecting bedrock fracturing and |
| | Norikazu | rockfall activity in the Southern Japanese Alps |
| 12:00~12:15 | Arai Noriyuki | Rain-induced rockslides controlled by a thrust fault and river |
| | | incision in an accretionary complex in the Shimanto Belt, Japan |
| 12:15~12:30 | Baron Ivo | Deciphering large deep-seated gravitational slope deformation |
| | | stress states in active tectonic settings using contemporary three- |
| | | dimensional fault-slip data |
| | | Lunch + Poster (12:30~14:30) |

| 14:30~14:45 14:45~15:00 15:00~15:15 | Kang Keng- hao Carey M. Jonathan | Geological model of a potential large-scale landslide and its implication on the possible failure mechanism - paleo and future in southern Taiwan Simulating the behavior of slow-moving landslides using a |
|---|---------------------------------------|--|
| | Carey M. Jonathan | in southern Taiwan Simulating the behavior of slow-moving landslides using a |
| | Jonathan | Simulating the behavior of slow-moving landslides using a |
| | Jonathan | |
| 15:00~15:15 | | |
| 15:00~15:15 | | Dynamic Back Pressured Shear Box (DBPSB) |
| | Yang Che- | Revisit the classical Newmark displacement analysis for |
| | Ming | earthquake-induced wedge slide - The kinematics and initiation of |
| | | the Daguangbao landslide |
| 15:15~15:30 | Sezaki Shotaro | Rockslide simulations based on the elasto-plastic finite element |
| | | method considering the balanced cross-section concept |
| 15:30~15:45 | Agliardi | Influence of non-persistent slope-scale brittle features on DSGSD |
| | Federico | mechanisms and activity |
| 15:45~16:00 | Lin Ching- | Large-scale landslide susceptibility assessment of Kaoping River |
| | Weei | Watershed in Southern Taiwan |
| | | Break (16:00~16:30) |
| Session 4 (16: | 30~17:45) | Chairs: Corominas Jordi, Revellino Paola |
| Time | Presenter | Title |
| 16:30~16:45 | Brideau Marc- | Methodology to estimate the rock avalanche frequency for a |
| | Andre | specific slope |
| 16:45~17:00 | Jaboyedoff | 3D failure surface and volume estimation of large rock slope |
| | Michel | instabilities: a review of a bottleneck problem |
| 17:00~17:15 | Wei Lun-Wei | Revealing the evolution of slope deformation by adopting UAV |
| | | techniques |
| 17:15~17:30 | Rau Ruey-Juin | Continuous GPS observations on deep-seated gravitational slope |
| | | deformation in the Lushan area, central Taiwan |
| 17:30~17:45 | Migon Piotr | Using Electrical Resistivity Tomography to detect internal |
| | | structures of deep-seated gravitational deformations |
| | | Banquet (17:45~20:15) |

October 15, 2017 (Sunday)

| Session 5 (9:1 | 15~10:45) | Chairs: Esposito Carlo, Brezny Michal | |
|----------------|---------------------|--|--|
| Time | Presenter | Title | |
| 9:15~9:30 | Hermanns L. | Cosmogenic nuclide ages of back scarps of the Litledalen and | |
| | Reginald | Nomedalstinden Deep Seated Gravitational Slope Deformations | |
| | | (DSGSD), Northern Norway, indicate that DSGSDs can survive | |
| | | glacial cycles | |
| 9:30~9:45 | Tseng Chia- | Study on a dip-slope by inclinometers and GPS monitoring at the | |
| | Han | Huafan University campus in northern Taiwan | |
| 9:45~10:00 | Derron Marc- | Slope deformation imaging of sandbox analogue models (LiDAR | |
| | Henri | and InSAR) | |
| 10:00~10:15 | Osawa Hikaru | Seasonal fluctuations in pore-water pressures of a landslide in a | |
| | | seasonally snow-covered area | |
| 10:15~10:30 | Chen Rou-Fei | Deformation characteristics and surface monitoring of deep-seated | |
| | | gravitational slope deformation in the Tienchih area, southern | |
| | | Taiwan | |
| 10:30~10:45 | Brezny Michal | Gravitational transpression folds formed in the large-scale | |
| | | sackung: an example from flysch Carpathians | |
| | Break (10:45~11:00) | | |
| Session 6 (11 | :00~12:30) | Chairs: Hermanns L. Reginald | |
| Time | Presenter | Title | |
| 11:00~11:15 | Crosta B. | Activity of large slope instabilities and denudation rate in the | |
| | Giovanni | European Alps | |
| 11:15~11:30 | Lu Jia-Hao | A case study on the comparison of blogging applied to core | |
| | | description with well logging results in potential landslide area | |
| 11:30~11:45 | Troon Marko | An introductory, geostatistical and geomorphological review of the | |
| | | effects of geohazards and severe weather events as a retrospect | |
| | | throughout 2009/2010 in Norway | |
| 11:45~12:00 | Zhao Siyuan | The response of catastrophic landslides to fluvial incision in the | |
| | | upstream of Minjiang River, Western Sichuan, China | |
| 12:00~12:15 | Zerkal V. Oleg | The influence of tectonic agents on the activity of landslides on | |
| | | the west Caucasus area (Russia) | |
| 12:15~12:30 | Sato Tatsuki | Geological background of landslides induced by the 2016 | |
| | | Kumamoto earthquake in the Aso caldera with special reference to | |
| | | the weathering processes | |

| Lunch + Poster (12:30~14:30) | | | |
|------------------------------|---------------------|---|--|
| Session 7 (14 | :30~15:45) | Chairs: Jon Carey, Bertolo Davide | |
| Time | Presenter | Title | |
| 14:30~14:45 | Yamada | Dynamic movement history of the 2017 Iiyama landslide revealed | |
| | Masumi | from drone image and seismic data | |
| 14:45~15:00 | Doi Issei | Behavior of a gravitational deformation slope during earthquake | |
| | | shaking revealed by seismic observation | |
| 15:00~15:15 | Ma Ning | On the co-seismic responses of a deep-seated landslide: Insight by monitoring | |
| 15:15~15:30 | Inagaki Hideki | Relationship between distance from active fault and scale of slope | |
| | | failure in Japan | |
| 15:30~15:45 | Kuo Hsien Li | Assessing Rainfall Threshold for Large-scales Landslide by | |
| | | Exacting occurrence Time of Landslides from Seismic Records | |
| | Break (15:45~16:00) | | |
| Session 8 (16 | :00~17:15) | Chairs: Tsou Ching-Ying, Troon Marko | |
| Time | Presenter | Title | |
| 16:00~16:15 | Matsuura | Observations of pore-water pressure during failure in a moving | |
| | Sumio | landslide body | |
| 16:15~16:30 | Wang Gonghui | The internal structure of Nagatono landslide dam and landsliding mechanism | |
| 16:30~16:45 | Bertolo | The Mont de La Saxe Landslide (Valle d'Aosta-Italy) - Evolution | |
| | Davide | a large alpine landslide controlled by different hydrogeological components | |
| 16:45~17:00 | Lin Hsi-Hung | Geological characteristics and multi-disciplinary observation in | |
| | | the active deep-seated slope deformation in slate in LuShan, | |
| | | Taiwan | |
| 17:00~17:15 | Li Kuo-wei | The activity assessment of potential large-scale landslide by means | |
| | | | |
| | | of multi-staged images and data from aerial photographs | |

Poster session at the poster hall (2F)

Core time: 13:30-14:30 of Oct. 14 & 15, 2017

Please check poster number to locate the display board. You can display your poster from 09:00 Oct 14 to 17:00 Oct 15. It is noted that tiding up of the posters should be finished **before 17:00 Oct 15**.


| No. | Author | Title |
|-----|-------------|---|
| P1 | Fujii | Geological background of Nagiso debris flow occurred on July 9 2014, in |
| | Yukiyasu | Nagano prefecture, central Japan |
| P2 | Ando Naomi | Temperature and sound survey on steep tea farm area and salt pan site |
| P3 | Jiang Yao | Shear surfaces of simulated shear zones control mechanical behaviors of |
| | | granular materials |
| P4 | Hsieh Yu- | Normal faulting and gravitational slope deformation in the central range of |
| | Chung | Taiwan |
| P5 | Chen Mien- | How deep-seated gravitational slope deformations are transformed into |
| | Ming | large-scale landslides: an example of 2009 Typhoon Morakot |
| P6 | Krogh Kaja | The Kassen and Hakaneset rock slope instabilities along fjord lakes in |
| | | Telemark, Southern Norway |
| P7 | Liu Chih | Dynamic process analysis for the initiation time of the Aso-bridge co- |
| | Hsuan | seismic landslide |
| P8 | Tsou Ching- | Coupling fluvial processes and landslide distribution toward |
| | Ying | geomorphological hazard assessment: a case study in a transient landscape |
| | | in Japan |
| P9 | Nagata | Gravitational deformation around Tokugo-toge Pass, Northern Japan Alps |
| | Hidehisa | |
| P10 | Tajika Jun | A huge frontal bulge of the Horomoe landslide, Shiretoko Peninsula, |
| | | Hokkaido, northern Japan |
| P11 | Ohta | Numerical study on influences of gravity and geometry to large-size |
| | Takehiro | landslides |
| P12 | Yokoyama | Gravitational slope deformation and its transformation into catastrophic |
| | Osamu | landslides during earthquakes in a slate area |
| P13 | Nishiyama | Distribution of highly saline groundwater in the areas with many landslides |
| | Nariaki | in the southern Niigata Prefecture |
| P14 | Kikuchi | Deformation measurement of slow velocity landslide by analysis of three- |
| | Teruyuki | dimension point clouds |
| P15 | Kawabata | Effects of geological division on geomorphic parameters in Japan based on |
| | Daisaku | the spatial analysis of the seamless geological map of Japan |

| P16 | Yamakawa | A risk evaluation method for deep-seated landslides based on stream water |
|------|--------------|---|
| 110 | Yosuke | chemistry |
| P17 | Komata | Sorting out landslide topography in Japan by knick line distribution, and |
| 11, | Shinjuro | geological signs of landslide occurrence |
| P18 | Furuki | Structural features and formative processes of a sliding zone of a large |
| 110 | Hirokazu | rockslide |
| P19 | Yagi Hiroshi | Bell-shape index indicating top-heavy profile of high relief mountain and |
| 1 17 | Tugi III oom | gravitational deformation |
| P20 | Watanabe | Integrated landslide survey using UAV-SfM and geophysical technologies: |
| | Tatsuya | a case study in Rikubetsu, Hokkaido, Japan |
| P21 | Ota | Locations and ages of large mass movements in a high-relief mountainous |
| | Yoshimasa | area underlain by accretionary complex: a case of the Katsuragawa Valley |
| | | along the Hanaore Fault, central Japan |
| P22 | Istiyanti L. | Characteristics of soil layers on shallow landslides triggered by rainfall at |
| | Mega | Izu Oshima, Japan |
| P23 | Sato P. | Interpretation of L-band InSAR images to detect landslide surface |
| | Hiroshi | deformation along Minjiang River, Western Sichuan, China |
| P24 | Doshida | Evaluation of secondary slope failure susceptibility using detailed |
| | Shoji | topographic data, |
| P25 | Goto Satoshi | Geotechnical study on fluidized landslide at Aso volcanological laboratory |
| | | in the 2016 Kumamoto earthquake |
| P26 | Watanabe | Breaking-off of hanging glaciers at Mt. Langtang Lirung, Nepal Himalaya |
| | Honami | |
| P27 | Hata Hitomi | The study of rockfall and topographical change in Shirouma-Daisekkei, the |
| | | Northern Japanese Alps |
| P28 | Esposito | Time-dependent analysis of a complex rockslide constrained by |
| | Carlo | geomorphic markers |
| P29 | Guerriero | Nucleation and kinematic significance of deformational structures in earth |
| | Luigi | flows |
| P30 | Alfaro Pedro | Time-dependent modelling of a mountain front retreat due to a fold-to-fault |
| | | controlled lateral spreading, |
| P31 | Chai | Dynamic responses of the intact and remodeled loess slope under the |
| | Shaofeng | coupling effect of earthquake and rainfall: Insights on shaking table model |
| | | tests |
| P32 | Kimura | Landslide history in post-caldera central cones of Aso volcano, Japan |
| | Takashi | |
| P33 | Sasaki | Geomorphological control on distribution and development of wetlands on |
| | Natsuki | large-scale landslides in Ou Mountain Range, NE Japan |

| P34 | Ohta Ryoga | History of mass movements and paleolake formation revealed by |
|-----|------------|--|
| | | depression-filling sediment records in a tectonically active mountainous |
| | | area: a case study in Mt. Kushigata, Koma Range, central Japan |
| P35 | Sasaki | Slope deformation problem in Quaternary volcanics by the 2016 |
| | Yasuhito | Kumamoto Earthquake |
| P36 | Dattola | An application of the MIBSA to slow moving landslides |
| | Giuseppe | |

Post-conference excursion to Kii Peninsula (16-18 Oct 2017)

The destination of the post-conference excursion is the Kii Mountain Range, where a severe rain-induced landslide disaster occurred in 2011. Please check the Field Trip Guide, distributed for pre-registered participants, for the time and place of meeting at 16 Oct morning. The seats for the field trip had been fully reserved. We are sorry not to be able to accept additional participation.



Road map to the Kii Peninsula.